EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S126	2	"20030163809"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S127	2	"20050204367"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S128	3	"20050246402"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S129	1	("20050289559").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S130	1	("5301302").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S131	41	("5619685").URPN.	USPAT	OR	ON	2008/05/27 21:06
S132	44	("5649139").URPN.	USPAT	OR	ON	2008/05/27 21:06
S133	85	("5838965").URPN.	USPAT	OR	ON	2008/05/27 21:06
S134	21	("6199141").URPN.	USPAT	OR	ON	2008/05/27 21:06
S135	21	("6199141").URPN.	USPAT	OR	ON	2008/05/27 21:06
S136	1	("7143398").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S137	1	("7263561").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S138	9	(("4,719,593") or ("4,974,191") or ("5,237,669") or ("5,339,426") or ("5,357,604") or ("5,408,665") or ("5,428,782") or ("5,603,014") or ("5,604,843")).PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S139	2	(("5,167,023") or ("4,951,195")).PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06

S140	2	(("5,440,710") or ("5,802,554")).PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S141	8	(("6446096") or ("6507867") or ("5974256") or ("6862650") or ("6101601") or ("6226667") or ("6256752") or ("6430707")).PN.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S142	7397	(707/104.1).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S143	1893	(711/202).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S144	718	(717/106).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S145	595	(717/108).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S146	213	(719/332).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/27 21:06
S147	642	(conver$4 translat$4) adj2 (read$only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S148	850	(conver$4 translat$4) near2 (read$only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S149	125	(conver$4 translat$4) with (read$only read adj only) same (executable dll dynamic adj link)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S150	73	(conver$4 translat$4) with (read$only read adj only) with (executable dll dynamic adj link)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S151	8	(convert$3 conversion translat$3) adj (read $only read adj only database) with (class)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S152	297	(convert$3 conversion translat$3) adj (read $only read adj only database) with (program code executable package)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S153	5161	(convert$3 conversion translat$3) adj2 (read $only read adj only database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S154	154	(convert$3 conversion translat$3) adj2 (read $only read adj only database) adj (file data)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S155	5	(convert$3 conversion translat$3) adj2 (read $only read adj only database) adj (file data) with (executable code instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S156	748	(convert$3 conversion translat$3) adj2 (read $only read adj only database) with (program code executable package)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S157	363	(data adj structure) with memory adj map$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S158	816	(database) with (dll dynamic adj link adj library)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S159	31	(database) with (dll dynamic adj link adj library) with (wrap$4 translat$4 conver$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S160	278	(demand adj pag$3) and (database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S161	0	(demand adj pag$3) and (database) near3 (wrap $4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S162	5	(demand adj pag$3) with (database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S163	369	(dll dynamic$4 adj link adj library shared adj2 library executable adj file) with (r/o read $only read adj only database adj file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S164	101	(dll dynamic$4 adj link adj library shared adj2 library) with (r/o read $only read adj only database adj file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S165	77	(dll dynamic$4 adj link adj library shared adj2 library) with (r/o read $only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S166	29	(dll dynamic$4 adj link adj library shared adj2 library) with (read $only read adj only database) with (insert $4 modify modifying modification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S167	77	(dll dynamic$4 adj link adj library shared adj2 library) with (read $only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S168	16	(dll dynamic$4 adj link adj library shared adj2 library) with (read $only read adj only) with (convert converting conversion translate translation translating)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S169	4	(dll dynamic$4 adj link adj library shared adj2 library) with (read $only read adj only) with (insert$4 modify modifying modification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S170	524	(memorymap4 memory adj map$4) and (database read$only read adj only file) near (convert converting conversion translate translation translating modifying modify modification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S171	3	(memorymap4 memory adj map$4) and (database read$only read adj only file) near (convert converting conversion translate translation translating modifying modify modification) with (dll dynamic$3 adj link adj library shar$2 adj library)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S172	98	(memorymap4 memory adj map$4) and (database read$only read adj only file) near3 (wrap$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S173	185	(memorymap4 memory adj map$4) and (database read$only read adj only) near (convert converting conversion translate translation translating modifying modify modification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S174	414	(memorymap4 memory adj map$4) and (database read$only read adj only) near3 (convert converting conversion translate translation translating modifying modify modification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S175	1049	(memorymap4 memory adj map$4) and (database read$only read adj only) with (convert converting conversion translate translation translating modifying modify modification)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S176	3	(memorymap4 memory adj map$4) and (database) near3 (wrap $4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S177	19	(memorymap4 memory adj map$4) with (database adj file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S178	265	(memorymap4 memory adj map$4) with (database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S179	363	(memorymap4 memory adj map$4) with (read $only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S180	2	(memorymap4 memory adj map$4) with (read $only read adj only) with (convert converting conversion translate translation translating)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S181	1485	(memorymap4 memory adj map$4) with (translat$4 conver$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S182	4	(memorymap4 memory adj map$4) with (translat$4 conver$4) near2 (file)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S183	265	(memorymap4 memory adj map$4) with database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S184	5	(object adj oriented) with (database) with (convert converting conversion translate translation translating) and (memory adj map$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S185	1	(object adj oriented) with (database) with (convert converting conversion translate translation translating) same (memory adj map$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S186	3179	(read$only read adj only database) adj (file data) with (executable code instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S187	9	(read$only read adj only database) adj (file data) with (executable code instruction) near2 (wrap$4 insert$3 add adding inject$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S188	320	(read$only read adj only) adj (file data) with (executable code instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S189	191	(read$only read adj only) adj data with (executable code)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S190	104	(read$only read adj only) adj data with (instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S191	1521	(thread with lock$3).ab.	USPAT	OR	ON	2008/05/27 21:06
S192	5	(thread with lock$3).ab. and (bullock).xp.	USPAT	OR	ON	2008/05/27 21:06
S193	100	dart with event	USPAT	OR	ON	2008/05/27 21:06
S194	0	dart$platform	USPAT	OR	ON	2008/05/27 21:06
S195	21	dart$platform	US-PGPUB; USPAT	OR	ON	2008/05/27 21:06
S196	0	dart$platform with event	USPAT	OR	ON	2008/05/27 21:06
S197	978	database with (dll link$3 adj library shar$3 adj library)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S198	18	database with (dll link$3 adj library shar$3 adj library) and (memory adj map$4 demand adj pag$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S199	18	database with (dll link$3 adj library shar$3 adj library) and (memory adj map$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S200	6	database with code adj header	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S201	31	executable adj linkable adj format	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S202	425	map adj data with audio	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S203	148	map adj data with audio	USPAT	OR	ON	2008/05/27 21:06
S204	0	map adj data with audio with pronounc$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S205	0	map adj data with audio with pronounciation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S206	128	memory adj map$4 with (audio)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S207	36	memorymap4 with (read $only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S208	0	memorymap4 with (read $only read adj only) adj file	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S209	21	memorymap4 with database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S210	8	memorymap4 with executable adj file	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S211	0	memorymap4 with executable adj file with database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S212	136	object adj oriented with database with (conver$4 translat$4)	USPAT	OR	ON	2008/05/27 21:06
S213	6	object adj oriented with database with (conver$4 translat$4) and (memory adj map$4 demand near pag$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S214	128	memory adj map$4 with (audio)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S215	38	S214 and @ad < "19970709"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S216	148	map adj data with audio	USPAT	OR	ON	2008/05/27 21:06
S217	28	S216 and @ad < "19970709"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S218	16	tool adj interface adj standard	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S219	12	wrap$4 adj (content information) with (code)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S220	67	wrap$4 adj (data file) with (code)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S221	1	wrap$4 adj (database) with (code)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

S222	7	wrap$4 adj2 (read$only read adj only)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S223	0	wrap$4 adj2 (read$only read adj only) with code	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S224	0	wrap$4 adj2 (read$only read adj only) with data	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06
S225	3	wrapper with code adj header	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/05/27 21:06

5/28/08 8:53:49 AM
C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\08890643.wsp